

# BIOMIN<sup>®</sup> MOLYBDENUM



## Mineral for Soil and Foliar Application

### PRODUCT INFORMATION

**BIOMIN MOLYBDENUM** contains molybdenum for soil and/or foliar application. Completely bioavailable and non-phytotoxic to plants when applied in accordance to directions. Designed to prevent and correct molybdenum deficiencies and to boost crops during critical or fast growing periods. May be applied with nitrogen fertilizers.

### DIRECTIONS AND

#### GENERAL RECOMMENDATIONS:

#### SHAKE WELL BEFORE USE

#### SOIL APPLICATION

**BIOMIN MOLYBDENUM** may be applied before or at planting through irrigation water, as banding or broadcast. The application rate is 1-5 quarts/acre (5-15 liters/hectare) depending on crop, soil conditions and application methods. For maintenance, 2 quarts per acre are usually recommended.

#### FOLIAR APPLICATION

**FIELD CROPS:** Apply 1-4 pints (2-4 liters/hectare) of **BIOMIN MOLYBDENUM** per acre when crops are 6-12 inches (15-30 cms) high or when deficiency symptoms appear. Repeat application 2-4 weeks later.

**VEGETABLES AND POTATOES:** Apply 1-4 pints (2-4 liters/hectare) of **BIOMIN MOLYBDENUM** per acre at about 2-4 weeks after emergence or if deficiency symptoms appear. Repeat the application 2-3 weeks later.

**GREENHOUSE CROPS:** Apply 1-4 pints (2-4 liters/hectare) of **BIOMIN MOLYBDENUM** per

### GUARANTEED ANALYSIS

Molybdenum (Mo).....3.0%  
Derived from sodium molybdate.

### PREVENTS AND CORRECTS MOLYBDENUM DEFICIENCY

### KEEP OUT OF REACH OF CHILDREN

**CAUTION-** The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

**CAUTION-** Do not apply this product after application of copper containing products as this may cause phytotoxicity.

### MANUFACTURED BY:

JH BIOTECH, INC.

P.O. Box 3538

Ventura, CA 93006, U.S.A

### NET CONTENTS:

- 1 Pint (0.47 liter)
- 2.5 Gallons (9.45 liters)
- 2 x 2.5 Gallons (18.9 liters)
- 5 Gallons (18.9 liters)
- 55 Gallons (207.9 liters)
- Other: \_\_\_\_\_ Gallons

Weight per Gallon: 9.0 lbs. (4.1 kg.)  
@68°F

U.S. Pat.# 5,504,055

### LOT NO.:

acre 2-3 weeks after emergence or transplanting, or when **MOLYBDENUM** deficiencies first appear. Repeat the application every one or two weeks.

**FRUIT TREES AND GRAPES:** Apply 1-4 pints (2-4 liters/hectare) of **BIOMIN MOLYBDENUM** per acre in early spring when new leaves emerge or when deficiency symptoms appear. Repeat the application 2-4 weeks later.

**BIOMIN MOLYBDENUM** is best applied when plants are in an active growing stage, after irrigation or rainfall. For foliar application, it should be diluted with at least 100 times of water. For best results and more specific recommendations, contact your nearest distributor.

**BIOMIN MOLYBDENUM** may be applied to fruit trees, field crops, greenhouse crops, vegetables, potatoes, grapes, citrus, and ornamental gardens.

### LIMITED WARRANTY

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

Information regarding the contents and levels of metals in this product is available online at <http://www.aapfco.org/metals.htm>

# JH Biotech, Inc.

0346-CA-A-2  
Copyright © 2011 JH Biotech, Inc.  
All rights reserved.