



Safety Data Sheet

Humax[®] 65

SECTION 1: Product and Company Identification

Product name: Humax[®] 65
Product code: 0113
Product use: Use of the product as plant and soil amendment, soil conditioner.
Product type: Solid, powder

Company: JH Biotech, Inc.,
4951 Olivas Park Drive, Ventura, CA 93003
Tel: (805)650-8933 Fax: (805)650-8942
info@jhbiotech.com

Emergency telephone: (800)428-3493 (within the United States)
(805)650-8933 (outside the United States)

SECTION 2: Hazards Identification

Contact with eyes may cause irritation. Inhalation of dust may cause nose, throat, or respiratory irritation. May be harmful if swallowed.

HMIS Rating: Health = 1 Flammability = 0 Reactivity = 0

Emergency overview: Contains silica crystalline. Chronic exposure over the PEL may result in silicosis or other respiratory ailments.

Nuisance dust: As with all dusts, avoid high concentrations.

SECTION 3: Composition/Information on Ingredients

Component	CAS No.	% by weight
Humic acid, potassium salt	68514-28-3	90-94%
Water	7732-18-5	6-10%
Silica crystalline	014808-60-7	< 0.50%

SECTION 4: First Aid Measures

Inhalation: Remove from source of exposure. Get medical attention if necessary.
Skin contact: Wash thoroughly with soap and water. Get medical attention if necessary.
Eye contact: Wash eyes with plenty of water for at least 15 minutes. Be sure to remove contact lenses. Get medical attention if necessary.
Ingestion: Wash out mouth with plenty of water. Do not induce vomiting. Get medical attention if necessary.

SECTION 5: Firefighting Measures

Extinguishing media

Use water spray, carbon dioxide, dry chemical, alcohol-type or universal-type foams applied by manufacturer's recommended techniques.



Safety Data Sheet

Humax[®] 65

Improper extinguishing media

Avoid water in straight hose stream, will scatter and spread fire.

Protection for firefighters

Wear protective clothing and equipment. Use supplied breathing air

Fire and explosion hazards

Flammable solids may provide conditions for a dust explosion.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use protective equipment, clothing, gloves, and safety eye goggles.

Environmental precautions

Avoid infiltration of large quantities into drains, surface water, groundwater and soil.

Methods and material for containment and cleaning up

Provide ventilation and contain spill. Mechanically collect and remove spilled material. Area may be washed with water.

SECTION 7: Handling and Storage

Precautions for safe handling

Avoid overheating or freezing. Minimize dust generation and accumulation. Ensure adequate ventilation

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from direct sunlight. Keep containers tightly closed when not in use.

SECTION 8: Exposure Controls/Personal Protection

OSHA PELV

0.05 mg/M3 NiOSH for crystalline silica. 0.5 mg/M3 for nuisance dust and 5 mg/M3 (respirable)(dust as PNOR)

Exposure controls

Sufficient ventilation is recommended to keep dust levels below the PEL.

Eye protection:

Eye goggle is recommended.

Skin protection:

Wear protective clothing as necessary to minimize contact. Use chemical resistant gloves.

Respiratory protection:

Full respiratory protection program recommended. NIOSH approved dust mask recommended.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Black powder with slight odor
------------	-------------------------------



Safety Data Sheet

Humax[®] 65

Odor	No odor
pH	8.5
Melting point/freezing point	>130 C / not available
Boiling point	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Explosive limits	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative density	0.55 g/cc
Solubility	Partially soluble in water
Partition coefficient	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Non explosive
Oxidizing properties	Not available

SECTION 10: Stability and Reactivity

Reactivity

Not available

Chemical stability

Product is stable.

Possibility of hazardous reactions

Under normal conditions, hazardous reaction will not occur.

Conditions to avoid

In common with many other organic chemicals, the product may in certain circumstances form flammable dust clouds in air.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Typical combustion products

SECTION 11: Toxicological Information

Information on toxicological effects

Acute toxicity: Not available

Irritation: Not available

Corrosiveness: Not available



Safety Data Sheet

Humax[®] 65

Sensitization:	Not available
Dose toxicity:	Not available
Carcinogenicity:	IARC lists inhaled crystalline silica/quartz from occupational sources as group I: carcinogenic to humans.
Mutagenicity:	Not available
Reproductive toxicity:	Not available

SECTION 12: Ecological Information

Ecotoxicity

Not available

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Not available

SECTION 13: Disposal Considerations

Waste treatment methods

Not hazardous waste. Dispose of product in accordance with regulations.

SECTION 14: Transport Information

Shipping name – DOT:	Coal – class 50
Hazard class – DOT:	Not restricted
UN Number:	Not restricted
Harmonized tariff code for US:	2702.10.1000
Hazard class – IATA:	Not restricted

SECTION 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the product

Not available

SECTION 16: Other Information

Issued: Dec. 9, 2014

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this sheet has been assembled by the manufacturer based on its own studies and on the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, or furnishing of such information.